



Integrierst du schon oder branchst du noch?

Müssen sich Feature Branches und CI widersprechen?

Orientation in Objects GmbH

Weinheimer Str. 68
68309 Mannheim


www.oio.de
info@oio.de

Version: 1.3



- That's just, like, your opinion, man
- This aggression will not stand, man
- Let's go bowling

- That's just, like, your opinion, man
- This aggression will not stand, man
- Let's go bowling




- „Continuous Integration“ Artikel von Martin Fowler im Jahr 2000
 - „[...] focus [...] on the key practices that make up effective CI“
- Key Practice Nr. 4 „*Everyone Commits To The Mainline Every Day*“
 - Falls möglich auch häufiger um Konflikte früh zu entdecken
 - Auch Ermunterung, Arbeit in Happen von wenigen Stunden aufzuteilen
- Begriff der „Mainline“ ist auch an andere Stellen sehr zentral
 - „*Pretty much everyone should work off this mainline most of the time.*“
- Branches werden als überbeanspruchtes VCS Feature betrachtet
 - „*Keep your use of branches to a minimum*“

A different sort of animal?

- Technische Empfehlungen muss man im zeitlichen Kontext sehen
 - tl;dr : Das war vor Git und Branches mit SVN waren damals kein Spaß
- Eigener „FeatureBranch“ Artikel von Martin Fowler im Jahr 2009
 - „*practice of [DVCS] feature branching and how it fits in with CI*“
- Ursprüngliche Kernaussage bleibt bestehen
 - „*So unless feature branches only last less than a day, running a feature branch is a different animal to CI. I've heard people say they are doing CI because they are running builds, perhaps using a CI server, on every branch with every commit. That's continuous building, and a Good Thing, but there's no integration, so it's not CI.*“
- Neben „Semantic Conflicts“ Probleme bei “OpportunisticRefactoring”

Alternative „Feature Toggles“


- „Feature Toggles“ als mögliche Alternative zu „Feature Branches“
 - „*mechanism for pending features taking longer than a [...] release cycle*“
- Erlaubt Feature Aktivierung bzw. Deaktivierung zur Laufzeit
 - Standardtechnik mit dedizierten Tools (Togglz, FF4J, ...)
- Hat wie jede Technik auch eine Menge bestimmter Nachteile
 - „*kind of technical debt*“, Code wird trotz Toggle in Produktion released



(Quelle: <http://martinfowler.com/bliki/FeatureToggle.html>)

Alternative „Branch by Abstraction“

- „Branch by Abstraction“ als mögliche Alternative zu Branches
 - „*alternative [...] when making large-scale changes to your system*“
- Betroffener Systemteil erhält eine eigene Abstraktionsschicht
 - Diese erledigt notwendige Delegierung zwischen alten und neuem Code
- Auch dieser Ansatz kann Nachteile haben
 - Sockelkosten bei „*big ball of mud*“, Gefahr bei fehlender „*exit strategy*“



(Quelle: <https://continuousdelivery.com/2011/05/make-large-scale-changes-incrementally-with-branch-by-abstraction/>)


Are you not entertained?

- Damit sind durch CI alle Version Control Probleme gelöst, oder?
- Kann etwas passieren wenn alle täglich in „Mainline“ einchecken?
- Aus Artikel „SCM: Continuous vs. Controlled Integration“ von 2008
 - **Mainline instability:** „*All the changes directly hit the mainline, so making it unstable is relatively easy. Developers always work against the latest sources instead of against well-known releases*“
 - **Unnecessary bug spreading:** „*bug entering the mainline will be spread to all developers in a short time [and] several developers will end up fixing [it]*“
 - **No checkpoints:** „*developers can't enjoy the benefits of using a version control which helps them to keep track of small intermediate changes*“

- „Continuous Integration“ Buch von 2007 (M. Fowler Signature Series)
 - „*two key complaints from those who have been practicing CI for a while.*“
 - „*How can I prevent broken builds? How can I get my builds to run faster?*“
- Problem „*[Continuous Integration] is still a rather reactionary practice.*“
 - Im Sinne von, dass man zum Testen nach Mainline einchecken muss
- Epilog „*The Future of CI*“ nennt zwei Lösungsansätze
 - **Two-Phase Commit:** „*Before the repository accepts the code, it runs an integration build on a separate machine. Only if [...] successful will it commit the code [...].*“
 - **Personal Builds:** „*[...] capability for a developer to run an integration build using the integration build machine and his local changes along with any other changes committed to the version control repository.*“

Same difference?

- „Obvious answer“ in Blog „Continuous integration future?“ von 2008
 - Commit to branch, rebase onto master, run tests, merge up if tests pass



(Quelle: <http://blog.plasticscm.com/2008/03/continuous-integration-future.html>)

- „*Branching is the answer, isn't it?*“
- Linus Torvalds arbeitet bei der Linux Entwicklung auch mit Branches
 - „*The linux-next tree has something like 8600 commits, and I've merged about 5600 in the last few days.*“
 - „*Only 17 of the merges had any conflicts. And only a couple of those were annoying. The rest is all git doing all the work.*“
- Und die gezeigten Branching Alternativen haben auch Schwächen
 - Reaktivierung von altem Code via Toggles (Knight Capital 2012)
 - Verlust von 460 Millionen Dollar in 45 Minuten
- Also doch alle lieber mit Branches arbeiten, oder?

- Es gibt zahlreiche zu vermeidende „*Branching Anti-Patterns*“
 - Branches sind kein automatischer Erfolgsgarant
- **Merge Paranoia**
 - „*Merging is avoided at all cost, due to a fear of the consequences.*“
- **Merge Mania**
 - „*The team spends an inordinate amount of time merging software assets rather than developing them.*“
- **Big Bang Merge**
 - „*Merging has been deferred to the very end of the development effort and an attempt is made to merge all branches simultaneously.*“

- **Never Ending Merge**
 - „Merge activity never seems to end; there's always more to merge.”
- **Wrong Way Merge**
 - „A software asset is merged with a previous version.”
- **Branch Mania**
 - „Branches are created often and for no apparent reason.”
- **Cascading Branches**
 - „Branches are never merged back to the main development line.”
- **Mysterious Branches**
 - „Nobody can tell you what the branches are for.”

- **Temporary Branches**
 - „*The purpose of a branch keeps changing; it effectively serves as a permanent ‘temporary’ workspace.*”
- **Volatile Branches**
 - „*An unstable branch is shared by other branches or merged into another branch.*”
- **Development Freeze**
 - „*All development activities are stopped during branching, merging and building new baseline.*”
- **Berlin Wall**
 - „*Branches are used to divide the development team members, rather than divide the work they are performing.*”

Gliederung

- That's just, like, your opinion, man
- **This aggression will not stand, man**
- Let's go bowling

- CI und FBs sind per Definition widersprüchlich
 - „*By definition [...] CI and FB [...] are mutually exclusive. There *is* in fact a dichotomy. You can do neither, one or the other, but not both at the same time.*”
 - „*By definition, if you have code sitting on a branch, it isn't integrated.*”
- Aber Schutz der „Mainline“ ist in beiden Ansätzen ein Kernaspekt
- Lediglich **WIE** geschützt wird ist unterschiedlich
 - Bei CI durch kontinuierliches Integrieren, Bauen und Testen
 - Bei FBs dadurch, dass erst abgeschlossener Code in Master einfließt

- CI alleine verhindert keine „bad checkins“
 - „*The more developers you have on a project, the higher the chances are that one of those developers will check something really bad into source control and disrupt everyone else's work. It's simple statistics.*“
- Branches erzwingen Merges bei falschem Gefühl von Sicherheit
 - „*Branches may introduce a false sense of safety, as changes made in different branches will eventually be merged together (either manually or automatically), and bugs may arise if these changes are [...] incompatible.*“

The Best Of All Possible Worlds (1)

- Gibt es vielleicht einen pragmatischen Kompromiss?
- Aus „Using Git and feature branches effectively“ von 2011
 - „*You can't do decentralized versioning unless you also decentralize your testing and integration.*“
 - „*effort [for] testing and integration scales exponentially rather than linearly with amount of change.*“
 - „*decentraliz[ing] testing and integration solve[s most] problems before change is pushed upstream.*“
 - „*By decentralizing you have many people working on smaller sets of changes that are much easier to deal with: the collaborative effort on testing decreases and when it all comes together you have a much smaller set of problems to deal with.*“
- Tests bereits auf Branch Ebene **VOR** dem Merge zurück nach Master

The Best Of All Possible Worlds (2)

- Dezentralisiertes Testen löst nicht Problem der „late integration“
- Disziplin im Entwicklerteam notwendig (wie bisher halt auch)
 - „**Rebase against main frequently** – *If your feature branch is way behind, you have done something very wrong*“
 - „**Push as early as you can** – *Feature branches are not about hiding change but about isolating change*“
 - „**Communicate** – *Ask people to push their changes before [pushing] big changes*“
 - „**Pull change rather than pushing it** – *Push only works in small teams. Pull forces people to communicate*“

The Best Of All Possible Worlds (3)

- Lebensdauer der Branches beachten
 - Tasks (Features) innerhalb Branch überschaubar dimensionieren
 - Agile Methoden wie Scrum können hierbei helfen
 - „Feature Toggles“ und „Branch by Abstraction“ nutzen wenn es hilft
- Werkzeuge kennen und Konventionen für Umgang festlegen
 - Git Lernkurve nicht unterschätzen
 - Merging vs. Rebasing, Fast-Forward Merges vs. Merge Commits
 - „*[Don't] pick random [...] points for development to begin with.*“
 - Zusammenarbeit durch „Pull Requests“ und „Code Reviews“ fördern


- That's just, like, your opinion, man
- This aggression will not stand, man
- **Let's go bowling**

- Feature Branch erzeugen
- Continuous Integration für Feature Branch bereit stellen
- Im Feature Branch arbeiten
- Master Änderungen regelmäßig (!) in Feature Branch übernehmen
- Pull Request erstellen jedes Mal wenn „Up Merge“ erfolgen soll
- „Up Merge“ nach Master durchführen und danach deployen

We're Gonna Need a Bigger Boat

- Und das soll ich jetzt alles von Hand machen?
 - Dezentrales Testen für jeden Branch einrichten
 - Änderungen aus Master nach erfolgreichem Test in Branch übernehmen
 - Pull Requests erstellen und verwalten
- Unterstützung durch Tools ist bereits vorhanden
 - Viele CI Server unterstützen Branch Erkennung
 - Für erkannte Branches dann automatisiert CI Prozesse erzeugbar
 - Automatisches Up und Down Merging üblicherweise auch möglich
 - Git Entwicklungsplattformen unterstützen bei Pull Request Verwaltung
 - Issue Tracker können oft direkt Feature Branches zu erzeugen

Demonstration



(Quelle: <https://confluence.atlassian.com/bamboo/using-plan-branches-289276872.html>)

Our two cents


- Entwickler können durch DVCS und Branches häufiger committen
- Dezentrale Tests und Integration je Branch sind guter Master Schutz
- Pull Requests verbessern Kommunikation und Code Qualität weiter
- Feature Branches in Kombination mit CI bieten einen Weg den Master fehlerfrei zu halten, ohne auf die Vorteile automatisierter Testpraktiken zu verzichten
- CI Puristen sind vielleicht anderer Meinung 😊

If you remember one thing

„Practicality beats purity“

(The Zen of Python, Tim Peters)

Literaturhinweise (And Now for Something Completely Different)



(Quelle: <http://itrevolution.com/devops-handbook>)

- Martin Fowler Artikel
 - <http://martinfowler.com/articles/continuousIntegration.html>
 - <http://martinfowler.com/bliki/FeatureBranch.html>
 - <http://martinfowler.com/bliki/OpportunisticRefactoring.html>
 - <http://martinfowler.com/bliki/FeatureToggle.html>
 - <http://martinfowler.com/bliki/BranchByAbstraction.html>
- Feature Toggles are one of the Worst kinds of Technical Debt
 - <https://dzone.com/articles/feature-toggles-are-one-worst>
- Make Large Scale Changes Incrementally with Branch By Abstraction
 - <https://continuousdelivery.com/2011/05/make-large-scale-changes-incrementally-with-branch-by-abstraction/>

- SCM: Continuous vs. Controlled Integration
 - <http://www.drdobbs.com/architecture-and-design/scm-continuous-vs-controlled-integration/205917960>
- Continuous integration future?
 - <http://blog.plasticscm.com/2008/03/continuous-integration-future.html>
- Linus Torvalds' comment on merging
 - <https://plus.google.com/+LinusTorvalds/posts/fDENcrCqHmD>
- Knightmare: A DevOps Cautionary Tale
 - <https://dougseven.com/2014/04/17/knightmare-a-devops-cautionary-tale/>

Links (3)

- Software Branching and Parallel Universes
 - <https://blog.codinghorror.com/software-branching-and-parallel-universes/>
- Branch per task workflow explained
 - <http://blog.plasticscm.com/2010/08/branch-per-task-workflow-explained.html>
- Help me, because I think Martin Fowler has a Merge Paranoia
 - <https://arialdomartini.wordpress.com/2011/11/02/help-me-because-i-think-martin-fowler-has-a-merge-paranoia/>
- The Effect of Branching Strategies on Software Quality
 - <https://www.microsoft.com/en-us/research/wp-content/uploads/2016/02/shihab-esem-2012.pdf>

- Linus Torvalds auf Linux Kernel Mailing Liste am 28.09.2010
 - <https://lkml.org/lkml/2010/9/28/362>
- Using Git and feature branches effectively
 - <http://www.jillesvangurp.com/2011/07/16/using-git-and-feature-branches-effectively/>
- Imitating pure continuous integration in branching workflows
 - <https://www.atlassian.com/continuous-delivery/continuous-integration-workflows-for-feature-branching>



Fragen ?

Orientation in Objects GmbH

Weinheimer Str. 68
68309 Mannheim

www.oio.de
info@oio.de



Orientation in Objects



**Vielen Dank für Ihre
Aufmerksamkeit !**

Orientation in Objects GmbH

Weinheimer Str. 68
68309 Mannheim

www.oio.de
info@oio.de